

# TuSimple Investor Presentation

An aerial photograph of a large truck depot. In the foreground, five white TuSimple semi-trucks are parked in a row on a paved lot. Behind them, numerous white TuSimple trailers are stacked in neat rows, extending into the distance. The depot is situated in a semi-arid landscape with sparse vegetation and industrial buildings in the background under a clear sky.

September 2023

This presentation and any accompanying oral statements (together, this "Presentation") contain forward-looking statements. All statements other than statements of historical fact contained in this letter, including statements as to future results of operations and financial position of TuSimple Holdings Inc. and its subsidiaries (the "Company"), planned products and services by the Company or any of its subsidiaries, business strategy and plans of the Company or any of its subsidiaries, launch dates of products or services in the United States or in any other territory, expected safety benefits of the Company's autonomous semi-trucks, objectives of management for future operations of the Company, market size and growth opportunities in various global territories, competitive position and technological and market trends in various global territories, statements regarding strategies for the Company's Asia business, are forward-looking statements. Forward-looking statements are inherently subject to risks and uncertainties, some of which cannot be predicted or quantified. In some cases, you can identify forward-looking statements by terms such as "will," "expect," "plan," "anticipate," "intend," "target," "project," "predict," "potential," "explore" or "continue" or the negative of these terms or other similar words. The Company has based these forward-looking statements largely on its current expectations and assumptions and on information available as of the date of this letter. The Company assumes no obligation to update any forward-looking statements after the date of this letter, except as required by law.

The forward-looking statements contained in this Presentation are subject to known and unknown risks, uncertainties, assumptions and other factors that may cause actual results or outcomes to be materially different from any future results or outcomes expressed or implied by the forward-looking statements. These risks, uncertainties, assumptions and other factors include, but are not limited to, those related to the Company's restructuring plan including potential cost-savings, the company's ability to regain compliance with Nasdaq listing standards, autonomous driving being an emerging technology, the development of the Company's technologies and products, the Company's limited operating history in a new market, the regulations governing autonomous vehicles, changes in the Company's board of directors and senior management, the Company's dependence on its senior management team, reliance on third-party suppliers, potential product liability or warranty claims, the protection of the Company's intellectual property, securities class action litigation, strategic alternatives for the Company's U.S. business, and government or regulatory policies, inquiries and actions. Moreover, the Company operates in a competitive and rapidly changing environment, and new risks may emerge from time to time. You should not put undue reliance on any forward-looking statements. Forward-looking statements should not be read as a guarantee of future performance or results and will not necessarily be accurate indications of the times at, or by, which such performance or results will be achieved, if at all. It is not possible for the Company to predict all risks, nor can the Company assess the impact of all factors on its business or the markets in which it operates or the extent to which any factor, or combination of factors, may cause actual results or outcomes to differ materially from those contained in any forward-looking statements the Company may make.

You should carefully consider the foregoing factors and the other risks and uncertainties described under the caption "Risk Factors" in our Annual Report on Form 10-K for the fiscal year ended December 31, 2022, filed with the Securities and Exchange Commission (the "SEC") on September 7, 2023, and the Company's other filings with the SEC. These SEC filings identify and address other important risks and uncertainties that could cause actual events and results to differ materially from those contained in the forward-looking statements. This Presentation also contains estimates, forecasts and other statistical data relating to market size and growth and other industry data. These data involve several assumptions and limitations, and you are cautioned not to give undue weight to such estimates. The Company has not independently verified the statistical and other industry data generated by independent parties and contained in this Presentation and, accordingly, it cannot guarantee their accuracy or completeness. In addition, assumptions and estimates of the Company's future performance and the future performance of the markets in which the Company competes are necessarily subject to a high degree of uncertainty and risk due to a variety of factors. These and other factors could cause results or outcomes to differ materially from those expressed in the estimates.

# TuSimple Investor Presentation

01

TuSimple Holdings at a Glance

02

Strong Investment Thesis for AV  
Trucking

03

Proven L4 Technology Leadership  
and Protected IP Portfolio

04

Concrete Development Roadmap  
with Clear Commercialization  
Strategy

05

Full Stack Autonomous  
Technology

06

2023 Considerations and  
Long-Term Framework

# 01 TuSimple Holdings at A Glance















Our mission is to enable the most **safe, fuel-efficient & low-cost freight capacity** by developing the best L4 autonomous technology, hardware and go-to-market strategy




# TuSimple Holdings at a Glance

## Industry Leading Technology with Many Industry Firsts

<b>People, Fleet, and Facilities</b>	 <p><b>~800</b> US: ~250 APAC: ~550</p>	 <p><b>~70</b> US: ~35 APAC: ~35</p>	 <p><b>6 R&amp;D Facilities</b> US: San Diego, Tucson APAC: Beijing, Shanghai, Tangshan, Tokyo</p>	 <p><b>Corporate Headquarters</b> San Diego, CA</p>
<b>Significant Accomplishments to Date</b>	 <p><b>1<sup>st</sup></b> World's First Driver Out<sup>1</sup> &amp; First Driver Out in China</p>	 <p><b>~590<sup>2</sup></b> Growing Patents</p>	 <p><b>~10mm</b> Miles Driven<sup>3</sup></p>	 <p><b>Safety</b> Third Party Safety Audit<sup>4</sup></p>
<b>Go-to-Market Strategy</b>	 <p><b>TuSimple</b> Freight Capacity</p>	 <p><b>Carrier-Owned</b> Freight Capacity</p>		 <p><b>ADS Core Capabilities</b> L2+/L3, SoC<sup>5</sup>, AV<sup>6</sup> Data, Simulation, Offboard Toolchain</p>


# One Holding Company, Two Distinct Businesses

Independent use cases (ODD<sup>1</sup>), and hardware ecosystems resulted in the need for separate engineering teams to pursue different product roadmaps




Structure Today


One Holding Company  
Two Distinct Operations



## Development Tailored to Current Use Case Application




## Key Development Differences



### Operational Design Domain

Traffic patterns  
Driving behavior  
Port drayage vs. US on-highway



### Hardware Ecosystem

Tier I supplier base  
Sensor selection and availability  
US Class 8 vs. chassis over engine



### Training Data

Object properties  
Other road user behavior



### Engineering Teams

Source code base  
Data repositories

# U.S.: Team Led by Seasoned Technology Leaders



**Robert Rossi**

SVP, Co-Head Technology

- 40+ years of experience in technology
- SVP Engineering of Autonomous Driving, TomTom
- Group Program Manager, Microsoft
- Founder and Chief Engineer, multiple startups
- 2 patents issued



**Jing Zhu**

SVP, Co-Head Technology

- 30+ years of experience in technology
- General Manager, VIP.com
- Chief Technology Officer, Shanda Online
- Senior Director of Engineering, Yahoo
- 8 patents issued



**Adrian Thompson**

VP, Systems & Safety Eng.

- 30+ years of experience in technology
- Director of Systems Engineering, Waymo
- Head of Systems Engineering and Test, Uber ATG
- Director of Systems Engineering, L3



**Graham Taylor**

VP, Hardware

- 25+ years of experience in technology
- Senior Engineering Manager, Zoox
- Senior Engineering Manager, Jamco
- Head of Engineering, B/E Aerospace



**Tom Wang**

VP, Software Engineering

- 25+ years of experience in technology
- Director of Engineering, DeepMap
- Software Architect and Lead, Apple
- Software Architect, EMC





# APAC: Experienced Management Team



**Jianan HAO**  
Head of China

- Company founding member and overseeing R&D activity and operations
- Over 10 years research experience in parallel & distributed computing
- Former Research Scientist at Temasek National Laboratory



**Naiyan WANG**  
CTO

- Overseeing AV full stack development
- Renowned expert in computer vision and deep learning with over 50 papers published with more than 17,000 citations
- 1st place in 2D Detection / 3rd place in 3D Detection of the first Waymo Open Dataset Challenges in 2020
- Co-founder and early developer of open-source deep learning framework MXNet
- Google PhD Fellowship candidates in 2014 (one of only 4 selected in China)



**Haiquan LI**  
VP of Engineering

- Lead TuSimple APAC engineering organization
- Over 8 years R&D experience in autonomous truck software /hardware and system integration
- Lead APAC hardware selection (including the TDC), evaluation and production process



**Nan WU**  
Head of Japan

- Over 13 years R&D experience in autonomous driving
- Previously served as Assistant Researcher, Lecturer, Senior Researcher, and Visiting Associate Professor at Waseda University
- Over 80 patents granted and more than 260 patent applications submitted in the field of autonomous driving

## 02 Strong Investment Thesis for AV Trucking



# Large TAM With Secular Growth Drivers


An opportunity to revolutionize a traditional market with industry leading technology

## Global Truck Freight Market (TAM<sup>1</sup>)

Global Truck Freight Market: \$4tn

Global E-Commerce: \$3.5tn

Global Automotive: \$2.8tn



## Regional Freight Industry TAM<sup>2</sup>

United States



\$800bn

APAC



\$1.6tn

Europe



\$400bn

# The Need for Autonomous Trucking Remains

## US

- ~3 million Class 8 semi-trucks in the US<sup>1</sup>
- +70% of all freight in the US transported by trucks<sup>2</sup>

## APAC

- ~8 million heavy-duty trucks in China<sup>3</sup>
- ~1.2 million large-size trucks in Japan<sup>4</sup>

## INCREASED DEMAND FROM E-COMMERCE TRENDS FACED WITH A GROWING SHORTAGE OF DRIVERS & SAFETY ISSUES

### Diminishing Supply

- U.S. shortage of 78,000 drivers<sup>2</sup>
- China drivers declined from 21 million to 17 million 2018 to 2020<sup>5</sup>
- 45% of Japan's drivers were aged 50 or older<sup>6</sup>

### Increasing Demand

- Rising e-commerce penetration
- Same or next-day shipping trends

### Safety Impact

- 94% of all accidents are due to human error<sup>7</sup>
- 47% increase in fatalities involving semi-trucks from 2009-2020<sup>7</sup>

## THE TUSIMPLE OPPORTUNITY

## US


- Reduced costs: Labor makes up ~43% of per mile cost structure<sup>8</sup>
- 10% of the nation's trade corridors account for moving nearly 80% of all transported goods<sup>9</sup>

## APAC

- China: Middle mile accounts for ~60% of total freight market<sup>3</sup>
- Japan: 50% of total long-haul transportation in freight corridor that connects Tokyo, Nagoya and Osaka<sup>10</sup>

# Demonstrable Value Proposition

## AV Operating Cost Structure Advantage<sup>1</sup>



## Autonomous Vehicle Cost Elements<sup>2</sup>


- **Driver Costs**
  - Elimination of human driver wages and benefits once operations are driverless
  - Addition of data transmission and storage, remote monitoring, and mapping maintenance costs
- **Vehicle Costs**
  - Costs for the base vehicle along with sensors, compute, and other hardware
- **Maintenance Costs**
  - Base vehicle maintenance along with incremental AV technology maintenance, calibration, and AV rescue
- **Fuel Costs**
  - 10%+ reduction in fuel cost from more efficient autonomous driver
- **Other**
  - Slight increase in insurance; tolls, and permits do not change

## Reduced Operating Costs Drive ROI for the Customer: Single Class-8 Truck Case Study


750k – 1.25mm Lifetime Miles <sup>3</sup>		<u>Human Operated Rate per Mile</u>		<u>Total Cost</u>
	X	~\$2.50	=	~\$1.9 – 3.1mm
		<u>Potential Net Savings per Mile</u>		<u>Potential Net Savings</u>
	X	\$0.35 – \$0.55 <sup>4</sup>	=	~\$262 – 687k

1. Based on company data in the U.S. 2. Does not include any expected terminal costs, drayage costs, development costs, and non-cash accounting costs (e.g., depreciation and amortization) 3. Assumes five-year life of truck. 4. Assumes cost of driver as \$1.00 per mile; does not incorporate incremental capex associated with higher purchase price of TuSimple L4 truck; assumes virtual driver cost per mile is \$0.45 – \$0.65

# U.S. Regulatory Environment Paving the Way for Autonomy



## Regulatory Landscape



**44** states  
Allow Driver In AV

**29** states  
Allow Driver Out AV

### Momentum towards allowing for testing and deployment of ADS-equipped commercial trucks:

- ▲ **Kansas** (2022) passed legislation
- ▲ **West Virginia** (2022) passed legislation
- ▲ **Mississippi** (2023) passed legislation
- ▲ **California** (2023) held an AV workshop to discuss potential regulations
- ▶ **California** bill (AB 316) prohibiting autonomous vehicles over 10,000 pounds from operating without a driver is in process

# APAC Regulatory Environment Supportive of Autonomous Freight Capacity



## Regulatory Environment in China and Japan

### China

- Shanghai first city in China to pass legislation to allow L4 fully driverless testing of autonomous trucks
- Clear strategic development goals set for AV industry by 2025, promoting all around development framework and L4 AV commercialization
- Regulatory rules issued to set industry standards for AV vehicles, road tests, infrastructure, etc.

### Japan


- Autonomous truck testing allowed on most highways and local roads
- Government announced plans to launch a self-driving lane on some sections of the New Tomei Expressway by 2024
- Government has set targets for commercial operation of L4 fully autonomous trucks by 2026

# 03 Proven L4 Technology Leadership and Protected IP Portfolio





# A History of Industry Firsts




# Only Player to Complete Driver Out in the US

## Autonomous Vehicle Landscape<sup>1</sup>


	AV Trucking	Robotaxi
Complexity / ODD <sup>2</sup>	<p>More Complex Vehicle More Defined ODD<sup>2</sup> 40 Ton Average Weight 200 Meter Braking Distance</p>	<p>Less Complex Vehicle More Expansive ODD<sup>2</sup> 2 Ton Average Weight 100 Meter Braking Distance</p>
Driverless	<p>No Teleoperations</p>	<p>WAYMO ONE</p>
Safety Driver	<p>Aurora</p> <p>WAYMO VIA<sup>3</sup></p>	<p>Aurora<sup>4</sup></p> <p>ZOOX</p>

## U.S. Driver Out Program Highlights



# ...and Only Player to Complete Driver Out in China

## Autonomous Trucking Landscape<sup>1</sup>



## China Driver Out Program Highlights



0

Disengagements



236

Lane Changes



~12,000

Cars or Trucks Detected




1.6km

Distance traveled with reduced visibility from fog

- ✓ No human in the vehicle
- ✓ No human Intervention
- ✓ Operated entirely by TuSimple's Autonomous Driving System (ADS)
- ✓ 11 total missions
- ✓ ~62 kilometer runs included Yangshan Deep-water Port and Donghai Bridge
- ✓ Lasting 45 minutes each
- ✓ In total over 600 kilometers driven
- ✓ On open public roads
- ✓ Including traffic signals, on and off ramps,, partial lane closures, fog, and crosswinds.

# Intellectual Property - A Leader in AV Trucking IP

## Worldwide Patents and Applications<sup>1</sup>



- TuSimple's industry leading patent portfolio of **590+ global patents<sup>2</sup>**
- TuSimple is the **world's most inventive trucking focused AV company<sup>3</sup>**
- TuSimple has **IP spanning across the entire autonomous trucking ecosystem**

## Sample Patents

**Semantic Segmentation**  
(US9953236B1)  
Core AI & Data


- Using dense upsampling convolution to semantic segmentation
- Process for receiving an input image, producing a feature map from the image, then producing a semantic label map after a few operations

**Lane Bias Maneuver**  
(US20230139551A1)  
Onboard Software

- Implement lane bias to avoid a vehicle
- Control device detects a vehicle from sensor data, comparing lateral distance to threshold distance
- Lane bias performed to reach threshold distance if necessary

## TuSimple Patent Portfolio

One of the largest organically developed patent portfolios in AV trucking - 589 patents in total<sup>2</sup>



# 04 Concrete Development Roadmap with Clear Commercialization Strategy



# Clear Strategy to Commercializing First Autonomous Lane


Building on prior achievements, a clear and achievable roadmap in the U.S. and APAC to be first to launch commercial autonomous freight operations

Driver Out Pilot	Expanded Safety + Increased Reliability + Improved Cost Effective			= Commercial Launch
Customer-Focused	Commercial launch must meet the rigorous demands of a shipper, including a minimum "level of service" & "freight capacity" reliability threshold & clear line of sight on cost-per-mile that is competitive with human drivers			
Initial Driver Out Pilot <i>Proof of Technology</i>	<ul style="list-style-type: none"> <li>✓ Completion of Driver Out Pilot Safety Case</li> <li>✓ Completion of Driver Out Pilot</li> </ul>	<ul style="list-style-type: none"> <li>✓ One trip per week</li> <li>✓ U.S. Operate in nighttime</li> <li>✓ China Operate in daytime</li> </ul>	x Non-scalable AV operations (survey vehicle, chase vehicle, pre-trip & post-trip costs)	Feature Complete + Redundancy
Initial Commercial Launch <i>Proof of Business Case</i>	<ul style="list-style-type: none"> <li>■ Completion of Expanded Driver Out Safety Case</li> <li>■ Completion of 3<sup>rd</sup> Party Audit<sup>1</sup></li> </ul>	<ul style="list-style-type: none"> <li>■ Multiple round trips per day</li> <li>■ Operate in nighttime and daytime</li> <li>■ Operate in dynamic construction zones</li> </ul>	<ul style="list-style-type: none"> <li>■ Remove survey vehicle</li> <li>■ Remove chase vehicle</li> <li>■ Reduce miles between returning to MRC</li> <li>■ Improve AV operations</li> </ul>	Repeatable Ops + Improved Cost Efficiencies

# Two Progressive Business Models

Accelerate path to scale with TuSimple Capacity, handling testing and maintenance, before full earnings potential is achieved with Carrier-Owned Capacity

Business Models applicable to U.S. and APAC



## TuSimple Capacity

*Ready to commercialize today*

- TuSimple enables automated freight routes
- Strategic route-by-route expansion where TuSimple controls the outcome
- Fastest path to market and critical for industry adoption

### \$ / mile Freight Rate

Capital Light Method  
Uses Shared Terminals  
Leverages Shared AFN<sup>1</sup> Terminals



## Carrier-Owned Capacity

*Long-term business strategy*

- TuSimple enables OEMs to manufacture autonomous trucks
- Required to sell to third-party customers
- Dependent on OEM and hardware supply chain timelines

### \$ / mile Subscription Fee


Upfront Investment with Payback < 1 year  
Controls Own Capacity  
Uses Own Terminals

Freight Users

Value Proposition

# AFN Rollout and Expansion Plan


## AFN Covering Major Shipping Routes in China



- Flexible business models adapted to local environment in China to maximize commercialization potential
- Beginning in the east and building out AFN covering major shipping routes in China

■ Short term    ■ Mid term    ■ Long term

## AFN Targeted Expansion in the U.S.




- Phase 1 (Launched)
- Phase 2
- Phase 3
- Targeting expansion throughout the Sunbelt leveraging existing mapped routes by TuSimple across high-traffic freight routes including the "Texas Triangle"
- Once a route is mapped, the route can be automated with autonomous trucks dynamically updating the map as necessary
- Texas Triangle (Dallas, Houston, San Antonio, Austin) is highly trafficked by truck freight and well-suited to automation
- Illustrative development plan considers route in autonomy friendly jurisdictions




# U.S. Development Roadmap and Plan

Commercialization roadmap strategically aligned with overall industry readiness



# APAC Development Roadmap and Plan


## Commercialization roadmap strategically aligned with overall industry readiness



# 05 Full Stack Autonomous Technology



# Core Technology Architecture



# Technology Architecture Overview

TuSimple's combined technology platform and organizational capability encompass the overarching requirements to support continuous, scalable freight operations

A

## ADS Onboard Software

- **Best-in-class long-range perception**, multi-modality sensor-fusion to comprehend the road environment
- **Robust prediction, planning, and control** functionalities designed for navigating through diverse traffic scenarios including construction zones
- **Proprietary embedded software** providing and optimizing embedded compute as well as proprietary sensing unit, along with other L4 hardware

C

## Offboard Technology

- **Holistic set of software tools** that covers the entire development cycle and accelerates the functionality iteration cycle
- **End-to-end simulation** to enable cost efficient, year-round testing
- **Scalable mapping** with low creation and maintenance
- **Autonomy visualization platform** supporting both development and deployment of AV operations

B

## ADS Hardware Solutions

- **Proprietary ADS hardware solutions** for sensor suites, by-wire controls system, and compute platform
- **Camera-centric backbone** featuring custom layout design and packaging flexibly supporting multiple layouts and form factors
- **TuSimple Domain Controller (TDC)** developed from the ground up to serve as autonomous truck's centralized compute unit

D

## Autonomous System Integration and Safety

- **Mature development platform** combining automotive processes and agile technology development (Safety Case framework, V&V framework)
- **Experience upfitting and integrating critical safety systems** including both software and hardware with OEMs
- **Thorough testing operations** that are key to providing validation, system confidence, and continuous improvement

# Proven L4 Capable Onboard Software Technology

Solved critical autonomous trucking challenges with long range perception key for semi-trucks, planning and prediction enabling maneuvers, and control that optimizes fuel economy and driving performance

## Onboard Software Components

Three differentiated and unified modules within onboard software that address the requirements of AV trucking



### Perception, Tracking, and Fusion

Visualizing the road environment with robust long-range capabilities that address highway driving speeds and long stopping distance requirements



### Prediction and Planning


Comprehends perception inputs to semantically represent environment constraints and generate feasible trajectories that obey driving rules to reach goals



### Control

Software architecture with predictive control functionalities delivering smooth motion and superior driving performance

## Benefits of Long-Range Perception




### Longer Braking Distances

- ~2x longer braking distance for semi-trucks due to larger size requires longer planning horizon
- TuSimple camera-based 1,000m perception range is designed to provide up to 35 second planning horizon

### Unprotected Left Hand Turn


- Semi-trucks take up to 16 seconds to make a safe left-hand turn, significantly longer than a passenger car
- Lidar only systems do not provide a sufficient planning horizon for the elongated turn, therefore an autonomous semi-truck will not be able to make a safe unprotected left-hand turn if exclusively relying on lidar



## Technology Highlights

<b>Driving Features Supported</b>	<ul style="list-style-type: none"> <li>Construction zones</li> <li>Traffic jams</li> <li>Road boundaries</li> </ul>	<ul style="list-style-type: none"> <li>Emergency lane vehicles</li> <li>Emergency vehicles</li> <li>Vulnerable road users</li> </ul>
<b>Driving Behaviors Supported</b>	<ul style="list-style-type: none"> <li>Lane change/cancel lane change</li> <li>Window chasing</li> </ul>	<ul style="list-style-type: none"> <li>Overtake/retreat change</li> <li>Lane bias</li> <li>Accepting merges</li> </ul>
<b>Vehicle Dynamics</b>	<ul style="list-style-type: none"> <li>Articulated kinematics and road slope considerations for both Ego<sup>1</sup> and other vehicles</li> </ul>	
<b>Intersection Handling</b>	<ul style="list-style-type: none"> <li>Handles intersections with global scene predictor with attention to non-compliant drivers</li> <li>Multiple-level inference for two close intersections</li> </ul>	
<b>Conditional Prediction and Turn Signal Usage</b>	<ul style="list-style-type: none"> <li>Creates better interactions and decisions by communicating Ego's intent</li> </ul>	
<b>Navigation and Routing</b>	<ul style="list-style-type: none"> <li>HD map integration informing localization and routing alternatives</li> </ul>	
<b>Decision-making and Behavior Hierarchy</b>	<ul style="list-style-type: none"> <li>Ensures explainability and accountability such as accident mitigation and preference</li> </ul>	
<b>Unified Attention Mechanism</b>	<ul style="list-style-type: none"> <li>Based on complete scene understanding for better resource allocation and overall system performance</li> </ul>	

## Capabilities and Maneuvers



## Planning Behaviors Driven by Safety


- No premature decisions or pruning, all trajectories remain in consideration until the optimal trajectory is certain
- Proactive maneuvers help avoid dangerous road scenarios, e.g., a non-compliant vehicle fish-tailing and straddling or invading lane space
- Aggressive lane change abilities ("window chasing") used only when necessary
- Top level decision making defined quantitatively

# Precise Control Delivers Superior Driving Performance

State of the art, predictive “all-in-one” optimal controller that can balance motion control/smoothness, minimize needed actuation, and maximize fuel economy

## Predictive Control


- Capable of both local and highway driving regimens
- Innovative “hybrid mode”
- Integration of control and novel uncertainty model estimator
- Measured control performance
- Integration of an optimal uncertainty/envelope tracker
- Proprietary, high-speed loop solver
- Enhanced fuel economy driving techniques
- In-house simulation environment matches real truck control responses in our system in loop (SIL) digital simulator enabling millions of scenarios testing



## Autonomous Driver Control Improvements


### Lane Centering

- + / - 10.6" (3σ) lane centering performance far outperforms humans, leading to better safety outcomes



### Throttle Control

- Smoother braking and acceleration lowers tire / brake wear



### Fuel Economy

- 10%+ improvement in fuel economy in autonomous truck<sup>1</sup>
- More efficient braking (engine braking) and momentum conservation


Category	Manual MPG	Autonomy MPG	Percentage
Highway Cruise	7.54	7.97	5.75%
Front Vehicle Cut-In	10.63	13.50	27.00%
Slow Car Following	8.63	9.53	10.40%
...	...	...	...
<b>Aggregated Highway</b>	<b>7.77</b>	<b>8.64</b>	<b>11.09%</b>



Focused development since inception on critical ADS enabling hardware through multiple generations

## ADS Hardware Systems and Components

- Competitive advantage driven by in-house camera design that matches onboard software capabilities
- Leverages off the shelf sensors or components where possible to remain capital efficient and focused on core competencies
- Focused on software and hardware development of critical components that allow for reliable testing and scaled production



\*Autonomous Vehicle Communications Gateway

1. Electronic control unit 2. Field of view

### Compute and Communications

#### TuSimple Sensing Unit

Sensor pre-processing unit for all L4 sensors

#### Vehicle Control Unit

Auto-grade ECU<sup>1</sup> for direct command control of steering, powertrain, and braking

#### Autonomous Vehicle Communications Gateway

Ruggedized controller handles AV truck bi-directional communications

#### Ruggedized Compute Unit

Central computing unit for driving function and overall L4 orchestration

#### TuSimple Domain Controller

Ground up hardware design serves as autonomous truck's centralized compute unit

### Sensor Suite

- Full suite of cameras, lidars, radars, GNSS, IMUs, microphones, rain / light detection, etc.
- Accurately capture environment in broad set ODD
- Multiple layouts for physical FOV<sup>2</sup>, 360° coverage, and necessary redundancy

## TuSimple Domain Controller ("TDC")


### TDC Overview

- Partnership between NVIDIA and TuSimple announced in January 2022
- Ground up hardware design serves as autonomous truck's redundant centralized compute unit
- Enables TuSimple to provide fully integrated hardware & software autonomy solutions



### Benefits of the TDC

- Partnership with NVIDIA for the SOC reference design; it's fully proprietary hardware
- Proprietary designed system includes:



**Better Integration**



**Low Power Consumption**



**Shorter R&D Cycles**




**Lower End-User Costs**

## L4 Use Cases and Cost Efficiencies

The TDC replaces distributed compute units as an integrated redundant controller

- High functional integrity as integrated domain controller
- Reliable / robust backup to primary controllers







## Additional Near-Term Revenue Opportunities

The TDC serves as the single integrated domain controller in L2+ / L3 system

- Integrated across sensing, computing, and vehicle control
- Distributed electrical architecture utilizing a multitude of ECUs is inefficient for computing and updating software
- Unified central domain controller is much more efficient
- Flexibility to provide the perception module only, perception and planning & control, or full system
- Can support L2+ / L3 features including highway assist and highway pilot functions

# Offboard Infrastructure and Toolchain Enabling Development and Deployment

TuSimple's AV Development Toolchain is a holistic set of software tools based on real world experience that cover the entire autonomous driving development cycle and deployment of AV operations



## 1 Machine Learning Infrastructure

- Self-supervised active learning data pipeline
- Fast and scalable model training
- Large and elastic simulation workloads

## 2 Simulation

- Proprietary simulation toolchain
- End-to-end simulation
- Enable year-round testing across robust scenarios
- Automatically detects safety events within simulation

## 3 Autonomy Visualization

- Display and interact with the ADS
- Customizable workspace for every scenario
- Cloud replay and fast tagging of events
- Advanced plotting and direct measurement features

## 4 HD Mapping

- Scalable, automated nationwide mapping
- Low creation and maintenance costs
- Low latency updates
- High accuracy (5cm)

## 5 Fleet Operations

- Efficient deployment for AV testing and operations
- Scalable, low-cost AV fleet management
- Vehicle-to-cloud communication for remote monitoring
- User-friendly autonomy visualization – supporting different functions

**Petabytes of Data**  
Managed on Platform

**Robust Validation**  
On Path to L4 Autonomy

**Holistic Interface**  
Development & Deployment





**~11,400+**  
Miles of HD Mapped Routes

**All-in-one Platform**  
Key Functionalities  
Provided

# Every Aspect of System Development Informed by Safety


Complexity of autonomous vehicle operations necessitates a safety case that is designed to ensure adequate safety margins and that supporting operations are safe while addressing AI-specific challenges

## What is Being Made Safe?

Trucks	Autonomous Driving System	Remote Data Infrastructure	Fleet Operations
<ul style="list-style-type: none"><li>▪ Base truck platform(s)</li><li>▪ Truck hardware modifications</li></ul> 	<ul style="list-style-type: none"><li>▪ Compute hardware</li><li>▪ Sensors</li><li>▪ Operating system and middleware</li><li>▪ Autonomy stack</li><li>▪ Diagnostics and remote communications bridge</li></ul> 	<ul style="list-style-type: none"><li>▪ Software development and deployment tools</li><li>▪ Remote monitoring software and network</li></ul> 	<ul style="list-style-type: none"><li>▪ Fleet maintenance</li><li>▪ Test fleet operations</li><li>▪ Revenue fleet operations</li></ul> 

# The TuSimple Safety Case

Structured arguments that define specific safety objectives, clearly state all assumptions, provide rationale, directly link evidence to impacted claims, clarify effectiveness of mitigants, and understand residual risk



# Autonomy Solutions to Drive Industry Forward

Combination of modular technology stack, development know-how, and proprietary domain controller enables use cases outside pure L4 autonomy


## Trends Driving Mobility Today



Automated Driving



Software Defined Vehicles



Connected Mobility

### *Demand Challenging Requirements*

- Large dataset processing from multi-modal sensor suites
- Solve for complex computing with demands for cost efficiency and centralization
- Outperform multiple ECU<sup>1</sup> architecture with better power, cost, and maintenance efficiency
- Overcome challenges in hardware-software integration

## Illustrative Use Cases & Plug-Ins

L2 & L3 ADAS all-in-one modules for passenger and commercial vehicles

Offboard toolchain and simulation as a service

White-labeling and contracted development

Licensing and outsourcing of individual modules (e.g., perception or control)

Development and sales of SoC products


Low-cost automotive grade controllers for mining, ports, and warehouses

# 06 2023 Considerations and Long-Term Framework



# 2023 Key Considerations

TuSimple ended 2022 with ~\$995mm in Cash and Short-Term Investments; Refined 2023 Strategy Reduces Revenue and OpEx While Protecting our Balance Sheet




## Revenue

- Intentional reduction of loss-making freight capacity
- Reduce geographical footprint to match AV commercial launch roadmap



## OpEx

- Greater than \$120 mil. of annualized cash comp savings expected from restructuring<sup>1</sup>
- Additional OpEx savings expected from company-wide improved efficiency



## Capital Expenditure

- Reduced fleet size focused on testing
- No new operational facilities beyond Arizona nor IT hardware investments



## 2023 Cash & Short-Term Investments

- OpEx and CapEx savings expected to drive cash spend decrease while still funding technology development
- Improved management and yield generation of idle cash




# Focusing on What it Takes to Win

Striving to Create shareholder value through building on our technology leadership, setting a concrete development roadmap, and creating near-term monetization opportunities




**1**  
Investment Thesis for AV  
Trucking Remains Strong




**2**  
Proven L4 Technology  
Leadership



**3**  
One Holding Company,  
Two Distinct Businesses



**4**  
Concrete Development  
Roadmap with Clear  
Commercialization  
Strategy




**5**  
Modular Technology Stack Enables  
Near-Term Monetization  
Opportunities

## Substantial Revenue and Network Scaling opportunity has not changed



TuSimple technology remains industry leading and we continue to believe we will capture market share



Initial focus on commercial launch TuSimple Capacity, path to positive cash flow with ~500 trucks



Launch of Carrier Owned Capacity required to scale to tens of thousands of trucks

## Timing: Factors impacting timeline provided at 2022 Investor Day

- Dependent on OEM development timeline to launch Carrier Owned Capacity
- Supply chain partners focused on near-term opportunities: EV and L2+ ADAS



# Thank You